MONTHLY NOTICES

OF THE

ROYAL ASTRONOMICAL SOCIETY

CONTAINING

PAPERS PUBLISHED IN THE PERIOD 1987 MARCH TO APRIL

VOL. 225

EDITORIAL BOARD

DR M. J. BARLOW, DEPARTMENT OF PHYSICS AND ASTRONOMY, UNIVERSITY COLLEGE, LONDON
DR M. G. EDMUNDS, DEPARTMENT OF APPLIED MATHEMATICS AND ASTRONOMY, CARDIFF
PROFESSOR A. C. FABIAN, INSTITUTE OF ASTRONOMY, CAMBRIDGE
DR D. R. FLOWER, DEPARTMENT OF PHYSICS, UNIVERSITY OF DURHAM
DR J. R. SHAKESHAFT, MULLARD RADIO ASTRONOMY OBSERVATORY, CAMBRIDGE
DR R. S. STOBIE, ROYAL OBSERVATORY, EDINBURGH
PROFESSOR R. J. TAYLER, UNIVERSITY OF SUSSEX ASTRONOMY CENTRE
PROFESSOR P. M. WILLIAMS, ROYAL OBSERVATORY, EDINBURGH

Published for the Royal Astronomical Society by
Blackwell Scientific Publications
Oxford London Edinburgh Boston Palo Alto Melbourne

AUTHOR INDEX

Adamson, A.J. *see* Bell, S.A.
Ade, P.A.R. *see* Chase, S.T.
Alexander, P. A study of spectral ageing in the radio galaxy 3C 234 and its implications, **225**, 27
Alexander, P., Leahy, J.P. Ageing and speeds in a representative sample of 21 classical double radio sources, **225**, 1
Applegate, J.H. *see* Blandford, R.D.
Aspin, C. *see* McLean, I.S.
Axon, D. *see* McLean, I.S.
Ayres, T.R. *see* Jordan, C.

Baldwin, J.E. *see* Saunders, R.
Baluja, K.L. *see* Mohan, M.
Banhatti, D.G. The width of jets in powerful edge-brightened extragalactic double radio sources, **225**, 487
Bateson, F.M. *see* Pringle, J.E.
Bell, A.R. The non-linear self-regulation of cosmic ray acceleration at shocks, **225**, 615
Bell, S.A., Hilditch, R.W., Adamson, A.J. A photometric and spectroscopic study of the early-type binary V1182 Aquilae, **225**, 961
Berrington, K.A. *see* Mohan, M.
Bird, M.C. *see* Fosbury, R.A.E.
Birkett, C.M., Green, S.F., Zamecki, J.C., Russell, K.S. Infrared and optical observations of low-activity comets, P/Arend–Rigaux (1984k) and P/Neujmin 1 (1984c), **225**, 285
Blandford, R.D., Romani, R.W., Applegate, J.H. Timing a millisecond pulsar in a globular cluster, **225**, 51P
Bocci, F. *see* Treves, A.
Branduardi-Raymont, G. see Kellett, B.J.
Brosch, N. Extragalactic dust – II. Far-infrared properties of early-type galaxies with dust lanes, **225**, 257
Brown, A. *see* Jordan, C.
Bruck, M.T. *see* Scarrott, S.M.
Burkert, A., Hensler, G. The effect of anisotropy on galaxy formation, **225**, 21P
Burton, M.G. *see* McLean, I.S.

Callanan, P.J. *see* Fabian, A.C.
Carter, D. *see* Nulsen, P.E.J.
Casali, M.M., Edgar, M.L. $^{12}CO(J= 1- 0)$ observations of six southern Bok globules, **225**, 481
Caswell, J.L., Kesteven, M.J., Komesaroff, M.M., Haynes, R.F., Milne, D.K., Stewart, R.T., Wilson, S.G. The galactic radio sources G5.4 - 1.2 and G5.27 - 0.90, **225**, 329
Chase, S.T., Joseph, R.D., Robertson, N.A.,Ade, P.A.R. A search for the Sunyaev–Zeldovich effect at millimetre wavelengths, **225**, 171
Christensen, P.R. *see* Sommer-Larsen, J.
Clube, S.V.M., Napier, W.M. The cometary breakup hypothesis re-examined: a reply, **225**, 55P
Coe, M.J. *see* Payne, B.J.
Cohen, R.J., Downs, G., Emerson, R., Grimm, M., Gulkis, S., Stevens, G., Tarter, J. Narrow polarized components in the OH 1612-MHz maser emmission from supergiant OH–IR sources, **225**, 491
Cook, M.C., Page, C.G. The X-ray properties of 3A1907+09, **225**, 381
Cook, M.C., Warwick, R.S. A pulse timing study of the X-ray pulsar 4U1145 - 619, **225**, 369
Couchman, H.M.P. The statistical clustering of pregalactic objects and resultant astrophysical consequences in cosmologies with Cold Dark Matter, **225**, 795
Couchman, H.M.P. The statistics of peaks in three-dimensional Gaussian, **225**, 777
Culhane, J.L. *see* Kellett, B.J.

Damen, E. *see* van Amerongen, S.
Downes, A.J.B. *see* Green, D.A.
Downs, G. *see* Cohen, R.J.
Draper, P.W. *see* Scarrott, S.M.
Drilling, J.S. *see* Jeffery, C.S.
Dufton, P.L. *see* Keenan, F.P.
Dyson, J.E. *see* Meaburn, J.

Edgar, M.L. *see* Casali, M.M.
Ellis, R.S. *see* Sparks, W.B.
Emerson, R. *see* Cohen, R.J.

Fabian, A.C., Guilbert, P.W., Callanan, P.J. Accretion disc coronae and the X-ray source in M15, **225**, 29P
Fairall, A.P. *see* McHardy, I.M.
Fairall, A.P. *see* O'Donoghue, D.
Falle, S.A.E.G., Giddings, J.R. Time-dependent cosmic ray modified shocks, **225**, 399
Falle, S.A.E.G., Innes, D.E., Wilson, M.J. Steady stellar jets, **225**, 741
Fasano, G., Franceschini, A. A multidimensional version of the Kolmogorov–Smirnov test, **225**, 155
Fawcett, B.C., Jordan, C., Lemen, J.R., Phillips, K.J.H. New spectral line identifications in high-temperature flares, **225**, 1013
Fernley, J.A., Jameson, R.F., Sherrington, M.R., Skillen, I. The radii and masses of dwarf Cepheids, **225**, 451
Fosbury, R.A.E., Bird, M.C., Nicholson, W., Wall, J.V. The identification and nature of the powerful radio galaxy PKS 1934 - 63, **225**, 761
Franceschini, A. *see* Fasano, G.

Garden, R. *see* McLean, I.S.
Gardner, F.F., Whiteoak, J.B., Palmer, P. VLA observations of 5-GHz excited OH lines towards Sgr B2, **225**, 469
Gatley, I. *see* McLean, I.S.
Giddings, J.R. *see* Falle, S.A.E.G.
Glatzel, W. On the stability of compressible differentially rotating cylinder, **225**, 227
Godwin, J.G. *see* Metcalfe, N.
Goldreich, P. *see* Goodman, J.
Good, A.R. *see* Meadows, P.J.
Goodman, J., Narayan, R., Goldreich, P. The stability of accretion tori – II. Non-linear evolution to discrete planets, **225**, 695
Green, D.A., Downes, A.J.B. Radio observations of the filamentary nebula G2.4+1.4, **225**, 221
Green, D.A. Confirmation of 3C 58's increasing radio flux density, **225**, 11P
Green, S.F. *see* Birkett, C.M.
Grimm, M. *see* Cohen, R.J.
Groot, M. *see* van Amerongen, S.
Guilbert, P.W. *see* Fabian, A.C.
Gulkis, S. *see* Cohen, R.J.
Gull, T.R. *see* Leech, K.J.

Harnett, J.I. *see* Subrahmanya, C.R.
Hasegawa, T. *see* McLean, I.S.
Hassall, B.J.M. *see* Pringle, J.E.
Hassall, B.J.M. *see* Verbunt, F.
Hawley, J.F. Non-linear evolution of a non-axisymmetric disc instability, **225**, 677
Hayashi, M. *see* McLean, I.S.
Haynes, R.F. *see* Caswell, J.L.
Heavens, A.F., Meisenheimer, K. Particle acceleration in extragalactic sources: the role of synchrotron losses in determining the spectrum, **225**, 335
Heise, J. *see* Pringle, J.E.
Heise, J. *see* van der Woerd, H.
Hensler, A. *see* Burkert, A.
Hibbert, A. *see* Mohan, M.
Hilditch, R.W. *see* Bell, S.A.
Hill, P.W. *see* Jeffery, C.S.
Hogan, C.J., Weymann, R.J. Lyman-alpha emission from the Lyman-alpha forest, **225**, 1P
Holberg, J.B. *see* Polidan, R.S.
Holberg, J.B. *see* Pringle, J.E.
Horne, K. *see* Marsh, T.R.
Hough, J. *see* McLean, I.S.
Howarth, I.D. A subdwarf's startling stellar wind, **225**, 33P

Innes, D.E. *see* Falle, S.A.E.G.
Iyengar, K.V.K., Rengarajan, T.N. *IRAS* observations of faint *Equatorial Infrared Catalogue* 1 sources, **225**, 731

Jameson, R.F. *see* Fernley, J.A.
Jeffery, C.S., Drilling, J.S., Hill, P.W. The orbital period of the hydrogen-deficient binary CPD - 58° 2721, **225**, 1005
Jordan, C., Ayres, T.R., Brown, A., Linsky, J.L., Simon, T. The chromospheres and coronae of five G–K main-sequence stars, **225**, 903
Jordan, C. *see* Fawcett, B.C.
Jordi, C., Rossello, G. Corrections to the FK5 reference frame, **225**, 723
Joseph, R.D. *see* Chase, S.T.

Kaifu, N. *see* McLean, I.S.
Kandrup, H.E. An H-theorem for violent relaxation?, **225**, 995
Keenan, F.P., Dufton, P.L., Kingston, A.E. The Si III 1892 Å/C III 1908 Å emission-line ratio in late-type stars, **225**, 859
Kellett, B.J., Branduardi-Raymont, G., Culhane, J.L., Mason, I.M., Mason, K.O., Whitehouse, D.R. *EXOSAT* observations of the SNR PKS 1209 - 52, **225**, 199
Kesteven, M.J. *see* Caswell, J.L.
Khaliullina, A.I. DR Vulpeculae: the quadruple system, **225**, 425
Kingston, A.E. *see* Keenan, F.P.
Komesaroff, M.M. *see* Caswell, J.L.
Kraakman, H. *see* van Amerongen, S.
Kumar, S. Twisted accretion discs - III. Application to Epsilon Aurigae, **225**, 823

Lahave, O. Optical dipole anisotropy, **225**, 213
Landstreet, J.D. On the importance of the decay-induced Lorentz force to the photospheric structure of hot magnetic stars, **225**, 437
Lawson, K.D., Mayer, C.J., Osborne, J.L., Parkinson, M.L. Variations in the spectral index of the galactic radio continuum emission in the northern hemisphere, **225**, 307
Leahy, J.P. *see* Alexander, P.
Lee, U., Saio, H. Non-adiabatic analysis of low-frequency oscillations of uniformly rotating stars, **225**, 643
Leech, K.J., Penston, M.V., Snijders, M.A.J., Gull, T.R. The Mg II line profile in the Seyfert galaxy NGC 4151: a new outflowing component, **225**, 837
Lemen, J.R. *see* Fawcett, B.C.
Lilly, S.J., Prestage, R.M. Surface photometry of powerful radio galaxies - II. Relations with the radio, optical, and clustering properties, **225**, 531
Lin, D.N.C., Pringle, J.E. A viscosity prescription for a self-gravitating accretion disc, **225**, 667
Linsky, J.L. *see* Jordan, C.

McCaughrean, M.J. *see* McLean, I.S.
McGee, R.X. *see* Meaburn, J.
McHardy, I.M., Pye, J.P., Fairall, A.P., Menzies, J.W. Detailed *EXOSAT* and optical observations of the intermediate polar 3A0729+103: discovery

of two medium energy X-ray emission regions, **225**, 355
McLean, I.S., McCaughrean, M.J., Gatley, I., Hough, J., Sato, S., Nagata, T., Axon, D., Burton, M.G., Garden, R., Aspin, C., Hasegawa, T., Hayashi, M., Morimoto, M., Kaifu, N. Discovery of an extended infrared reflection nebula around S106, **225**, 393
McMahon, R.G. *see* Sparks, W.B.
Marang, F. *see* Verbunt, F.
Marsh, T.R., Horne, K., Shipman, H.L. A spectrophotometric study of the emission lines in the quiescent dwarf nova Z Chamaeleontis , **225**, 551
Marston, A.P. *see* Meaburn, J.
Mason, I.M. *see* Kellett, B.J.
Mason, K.O. *see* Kellett, B.J.
Mason, K.O. *see* Smale, A.P.
Mayer, C.J. *see* Lawson, K.D.
Meaburn, J., Dyson, J.E. The dynamics of Herbig–Haro objects HH46 and 47A and their remarkable connecting filament HH47B, **225**, 863
Meaburn, J., Marston, A.P., McGee, R.X., Newton, L.M. The neutral hydrogen sheets and supergiant shells of the Large Magellanic Cloud, **225**, 591
Meadows, P.J., Good, A.R., Wolstencroft, R.D. The identification of *IRAS* 15194 - 5115 with a bright extreme carbon star, **225**, 43P
Meisenheimer, K. *see* Heavens, A.F.
Melnick, J. *see* Sparks, W.B.
Menzies, J.W. *see* McHardy, I.M.
Metcalfe, N., Godwin, J.G., Spenser, S.D. The Shapley 8 cluster of galaxies – redshifts and dynamics, **225**, 581
Milne, D.K. *see* Caswell, J.L.
Mohan, M., Baluja, K.L., Hibbert, A., Berrington, K.A. New atomic data for the transition $1s^22s^22p^5\,{}^2P^0_{1/2} = {}^2P^0_{3/2}$ in Fe XVIII, **225**, 377
Morimoto, M. *see* McLean, I.S.
Mukai, K. *see* Smale, A.P.

Nagata, T. *see* McLean, I.S.
Napier, W.M. *see* Clube, S.V.M.
Narayan, R. *see* Goodman, J.
Netzer, H. Quasar discs – II. A composite model for the broad-line region, **225**, 55
Newton, L.M. *see* Meaburn, J.
Nicholson, W. *see* Fosbury, R.A.E.
Nolthenius, R., White, S.D.M. Groups of galaxies in the CfA survey and in cold dark matter universes, **225**, 505
Nulsen, P.E.J., Carter, D. Optical distortion of M86; star formation from cooling gas?, **225**, 939

O'Donoghue, D., Fairall, A.P., Warner, B. Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse, **225**, 43
Osborne, J.L. *see* Lawson, K.D.

Page, C.G. *see* Cook, M.C.
Palmer, P. *see* Gardner, F.F.
Papaloizou, J.C.B., Pringle, J.E. The dynamical stability of differentially rotating discs – III, **225**, 267
Parkinson, M.L. *see* Lawson, K.D.
Payne, B.J., Coe, M.J. The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A0535+26 and 4U1145 - 619, **225**, 985
Penston, M.V. *see* Leech, K.J.
Phillips, K.J.H. *see* Fawcett, B.C.
Polidan, R.S., Holberg, J.B. Multiwavelength monitoring of the dwarf nova VW Hydri – IV. *Voyager* observations, **225**, 131
Polidan, R.S. *see* Pringle, J.E.
Prestage, R.M. *see* Lilly, S.J.
Pringle, J.E., Bateson, F.M., Hassall, B.J.M., van der Woerd, J.H., van der Woerd, H., Holberg, J.B., Polidan, R.S., van Amerongen, S., van Paradijs, J., Verbunt, F. Multiwavelength monitoring of the dwarf nova VW Hydri – I. Overview, **225**, 73
Pringle, J.E. *see* Lin, D.N.C.
Pringle, J.E. *see* Papaloizou, J.C.B.
Pringle, J.E. *see* Verbunt, F.
Pye, J.P. *see* McHardy, I.M.

Reid, N. The stellar mass function at low luminosities, **225**, 873
Rengarajan, T.N. *see* Ivengar, K.V.K.
Rephaeli, Y. Gas heating by energetic particles in M87 and the Coma cluster, **225**, 851
Robertson, N.A. *see* Chase, S.T.
Romani, R.W. *see* Blandford, R.D.
Rosselló, G. *see* Jordi, C.
Russell, K.S. *see* Birkett, C.M.

Saio, H. *see* Lee, U.
Sato, S. *see* McLean, I.S.
Saunders, R., Baldwin, J.E., Warner, P.J. A totally incomplete sample of extended 6C radio sources, **225**, 713
Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., Bruck, M.T., Wolstencroft, R.D. The Bruck 'bipolar': a nebulous star cluster, **225**, 17P
Sellwood, J.A. *see* Sparke, L.S.
Sherrington, M.R. *see* Fernley, J.A.
Shipman, H.L. *see* Marsh, T.R.
Shobbrook, R.R. *uvby* ß photometry of southern clusters - VIII. Further data for NGC 3766, **225**, 999
Shobbrook, R.R., Visvanathan, N. The distance to the LMC from *uvby* ß photometry of B stars, **225**, 947
Simon, T. *see* Jordan, C.
Skillen, I. *see* Fernley, J.A.
Smale, A.P., Mason, K.O., Mukai, K. The period of the globular cluster X-ray source X1820 - 303; confirmation from *Ariel V* data, **225**, 7P

Snijders, M.A.J. *see* Leech, K.J.
Sommer-Larsen, J., Christensen, P.R. Discovery of a star cluster in the galactic halo, **225**, 499
Sparke, L.S., Sellwood, J.A. Dissection of an *N*-body bar, **225**, 653
Sparks, W.B., Ellis, R.S., McMahon, R.G., Terlevich, R.J., Melnick, J. An extragalactic constraint on local galactic reddening, **225**, 769
Spenser, S.D. *see* Metcalfe, N.
Stevens, G. *see* Cohen, R.J.
Stewart, R.T. *see* Caswell, J.L.
Subrahmanya, C.R., Harnett, J.I. The local radio luminosity function of galaxies at 843 MHz, **225**, 297

Tarter, J. *see* Cohen, R.J.
Terlevich, R.J. *see* Sparks, W.B.
Treves, A., Bocci, F. A flywheel model for Cyg X-3. A case for a strict relation with Sco X-1, **225**, 39P

van Amerongen, S., Damen, E., Groot, M., KrAAkman, H., van Paradijs, J. Multiwavelength monitoring of the dwarf nova VW Hydri – II. Walraven photometry, **225**, 93
van Amerongen, S. *see* Pringle, J.E.
van der Woerd, H., Heise, J. Multiwavelength monitoring of the dwarf nova VW Hydri – V. *EXOSAT* observations, **225**, 141
van der Woerd, H. *see* Pringle, J.E.
van Paradijs, J. *see* Pringle, J.E.
van Paradijs, J. *see* van Amerongen, S.
Verbunt, F., Hassall, B.J.M., Pringle, J.E., Warner, B., Marang, F. Multiwavelength monitoring of the dwarf nova VW Hydri – III *IUE* observations, **225**, 113
Verbunt, F. *see* Pringle, J.E.
Visvanathan, N. *see* Shobbrook, R.R.

Walker, A.R. CCD light curves for seven Cepheid variables in the LMC cluster NGC 1866, **225**, 627
Wall, J.V. *see* Fosbury, R.A.E.
Warner, B. *see* O'Donoghue, D.
Warner, B. *see* Verbunt, F.
Warner, P.J. *see* Saunders, R.
Warren-Smith, R.F. see Scarrott, S.M.
Warwick, R.S. *see* Cook, M.C.
Weymann, R.J. *see* Hogan, C.J.
Whitehouse, D.R. *see* Kellett, B.J.
Whiteoak, J.B. *see* Gardner, F.F.
White, S.D.M. *see* Nolthenius, R.
Willstrop, R.V. Atmospheric dispersion compensator for a wide-field three-mirror telescope, **225**, 187
Wilson, M.J. *see* Falle, S.A.E.G.
Wilson, S.G. *see* Caswell, J.L.
Wolstencroft, R.D. *see* Meadows, P.J.
Wolstencroft, R.D. *see* Scarrott, S.M.

Zarnecki, J.C. *see* Birkett, C.M.

SUBJECT INDEX

Accretion and accretion discs

Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse (O'Donoghue, D., Fairall, A.P., Warner, B.), **225**, 43
Quasar discs – II. A composite model for the broad-line region (Netzer, H.), **225**, 55
On the stability of compressible differentially rotating cylinders (Glatzel, W.), **225**, 227
The dynamical stability of differentially rotating discs – III (Papaloizou, J.C.B., Pringle, J.E.), **225**, 267
A spectrophotometric study of the emission lines in the quiescent dwarf nova Z Chamaeleontis (Marsh, T.R., Horne, K., Shipman, H.L.), **225**, 551
A viscosity prescription for a self-gravitating accretion disc (Lin, D.N.C., Pringle, J.E.), **225**, 607
Non-linear evolution of a non-axisymmetric disc instability (Hawley, H.F.), **225**, 677
The stability of accretion tori – II. Non-linear evolution to discrete planets (Goodman, J., Narayan, R., Goldreich, P.), **225**, 695
Twisted accretion discs - III. Application to Epsilon Aurigae (Kumar, S.), **225**, 823
Accretion disc coronae and the X-ray source in M15 (Fabian, A.C., Guilbert, P.W., Callanan, P.J.), **225**, 29P
A flywheel model for Cyg X-3. A case for a strict relation with Sco X-1 (Treves, A., Bocci, F.), **225**, 39P

Asteroids

Infrared and optical observations of low-activity comets, P/Arend–Rigaux (1984k) and P/Neujmin 1 (1984c) (Birkett, C.M., Green, S.F., Zarnecki, J.C., Russell, K.S.), **225**, 285

Astrometry

Corrections to the FK5 reference frame (Jordi, C., Rossello, G.), **225**, 723

Black holes

Non-linear evolution of a non-axisymmetric disc instability (Hawley, H.F.), **225**, 677

Bok globules

$^{12}CO(J = 1–0)$ observations of six southern Bok globules (Casali, M.M., Edgar, M.L.), **225**, 481
The Bruck 'bipolar': a nebulous star cluster (Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., Bruck, M.T., Wolstencroft, R.D.), **225**, 17P

Celestial mechanics

The dynamical stability of differentially rotating discs – III (Papaloizou, J.C.B., Pringle, J.E.), **225**, 267
Dissection of an *N*-body bar (Sparke, L.S., Sellwood, J.A.), **225**, 653
Corrections to the FK5 reference frame (Jordi, C., Rosselló, G.), **225**, 723
An H-theorem for violent relaxation? (Kandrup, H.E.), **225**, 995
Timing a millisecond pulsar in a globular cluster (Blandford, R.D., Romani, R.W., Applegate, J.H.), **225**, 51P

Comets

Infrared and optical observations of low-activity comets, P/Arend–Rigaux (1984k) and P/Neujmin 1 (1984c) (Birkett, C.M., Green, S.F., Zarnecki, J.C., Russell, K.S.), **225**, 285
The cometary breakup hypothesis re-examined: a reply (Clube, S.V.M., Napier, W.M.), **225**, 55P

Cosmic rays

Variations in the spectral index of the galactic radio continuum emission in the northern hemisphere (Lawson, K.D., Mayer, C.J., Osborne, J.L., Parkinson, M.L.), **225**, 307
Particle acceleration in extragalactic sources: the role of synchrotron losses in determining the spectrum (Heavens, A.F., Meisenheimer, K.), **225**, 335
Time-dependent cosmic ray modified shocks (Falle, S.A.E.G., Giddings, J.R.), **225**, 399
The non-linear self-regulation of cosmic ray acceleration at shocks (Bell, A.R.), **225**, 615

Cosmology

A multidimensional version of the Kolmogorov–Smirnov test (Fasano, G., Franceschini, A.), **225**, 155
A search for the Sunyaev–Zeldovich effect at millimetre wavelengths (Chase, S.T., Joseph, R.D., Robertson, N.A.,Ade, P.A.R.), **225**, 171
Optical dipole anisotropy (Lahav, O.), **225**, 213
Groups of galaxies in the CfA survey and in cold dark matter universes (Nolthenius, R., White, S.D.M.), **225**, 505

The statistics of peaks in three-dimensional Gaussian (Couchman, H.M.P.), **225**, 777
The statistical clustering of pregalactic objects and resultant astrophysical consequences in cosmologies with Cold Dark Matter (Couchman, H.M.P.), **225**, 795

Data reduction

A multidimensional version of the Kolmogorov–Smirnov test (Fasano, G., Franceschini, A.), **225**, 155
The statistics of peaks in three-dimensional Gaussian (Couchman, H.M.P.), **225**, 777

Earth

The cometary breakup hypothesis re-examined: a reply (Clube, S.V.M., Napier, W.M.), **225**, 55P

Galactic Centre

VLA observations of 5-GHz excited OH lines towards Sgr B2 (Gardner, F.F., Whiteoak, J.B., Palmer, P.), **225**, 469

Galactic structure and stellar dynamics

Variations in the spectral index of the galactic radio continuum emission in the northern hemisphere (Lawson, K.D., Mayer, C.J., Osborne, J.L., Parkinson, M.L.), **225**, 307
Discovery of a star cluster in the galactic halo (Sommer-Larsen, J., Christensen, P.R.), **225**, 499
Dissection of an N-body bar (Sparke, L.S., Sellwood, J.A.), **225**, 653
The effect of anisotropy on galaxy formation (Burkert, A., Hensler, G.), **225**, 21P

Galaxies

Optical dipole anisotropy (Lahav, O.), **225**, 213
Extragalactic dust – II. Far-infrared properties of early-type galaxies with dust lanes (Brosch, N.), **225**, 257
The local radio luminosity function of galaxies at 843 MHz (Subrahmanya, C.R., Hamett, J.I.), **225**, 297
The Shapley 8 cluster of galaxies – redshifts and dynamics (Metcalfe, N., Godwin, J.G., Spenser, S.D.), **225**, 581
An extragalactic constraint on local galactic reddening (Sparks, W.B., Ellis, R.S., McMahon, R.G., Terlevich, R.J., Melnick, J.), **225**, 769
Optical distortion of M86; star formation from cooling gas? (Nulsen, P.E.J., Carter, D.), **225**, 939

Galaxies – active

Ageing and speeds in a representative sample of 21 classical double radio sources (Alexander, P., Leahy, J.P.), **225**, 1
A study of spectral ageing in the radio galaxy 3C 234 and its implications (Alexander, P.), **225**, 27
Quasar discs – II. A composite model for the broad-line region (Netzer, H.), **225**, 55
A multidimensional version of the Kolmogorov–Smirnov test (Fasano, G., Franceschini, A.), **225**, 155
Particle acceleration in extragalactic sources: the role of synchrotron losses in determining the spectrum (Heavens, A.F., Meisenheimer, K.), **225**, 335
The width of jets in powerful edge-brightened extragalactic double radio sources (Banhatti, D.G.), **225**, 487
Surface photometry of powerful radio galaxies - II. Relations with the radio, optical, and clustering properties (Lilly, S.J., Prestage, R.M.), **225**, 531
A totally incomplete sample of extended 6C radio sources (Saunders, R., Baldwin, J.E., Warner, P.J.), **225**, 713
The identification and nature of the powerful radio galaxy PKS 1934 - 63 (Fosbury, R.A.E., Bird, M.C., Nicholson, W., Wall, J.V.), **225**, 761
Gas heating by energetic particles in M87 and the Coma cluster (Rephaeli, Y.), **225**, 851

Galaxies – formation of

The statistical clustering of pregalactic objects and resultant astrophysical consequences in cosmologies with Cold Dark Matter (Couchman, H.M.P.), **225**, 795
The effect of anisotropy on galaxy formation (Burkert, A., Hensler, G.), **225**, 21P

Galaxies – nuclei of

Quasar discs – II. A composite model for the broad-line region (Netzer, H.), **225**, 55

Galaxies – Seyfert

The Mg II line profile in the Seyfert galaxy NGC 4151: a new outflowing component (Leech, K.J., Penston, M.V., Snijders, M.A.J., Gull, T.R.), **225**, 837

Galaxy clusters

A search for the Sunyaev–Zeldovich effect at millimetre wavelengths (Chase, S.T., Joseph, R.D., Robertson, N.A.,Ade, P.A.R.), **225**, 171

Optical dipole anisotropy (Lahav, O.), **225**, 213
Groups of galaxies in the CfA survey and in cold dark matter universes (Nolthenius, R., White, S.D.M.), **225**, 505
Surface photometry of powerful radio galaxies - II. Relations with the radio, optical, and clustering properties (Lilly, S.J., Prestage, R.M.), **225**, 531
The Shapley 8 cluster of galaxies – redshifts and dynamics (Metcalfe, N., Godwin, J.G., Spenser, S.D.), **225**, 581
Gas heating by energetic particles in M87 and the Coma cluster (Rephaeli, Y.), **225**, 851

Gravitation and gravitational radiation

Timing a millisecond pulsar in a globular cluster (Blandford, R.D., Romani, R.W., Applegate, J.H.), **225**, 51P

Herbig–Haro objects

The dynamics of Herbig–Haro objects HH46 and 47A and their remarkable connecting filament HH47B (Meaburn, J., Dyson, J.E.), **225**, 863

Infrared astronomy

Extragalactic dust – II. Far-infrared properties of early-type galaxies with dust lanes (Brosch, N.), **225**, 257
Infrared and optical observations of low-activity cets P/end–Rigaux (1984k) and P/Neujmin 1 (1984c) (Birkett, C.M., Green, S.F., Zarnecki, J.C., Russell, K.S.), **225**, 285
Discovery of an extended infrared reflection nebula around S106 (McLean, I.S., McCaughrean, M.J., Gatley, I., Hough, J., Sato, S., Nagata, T., Axon, D., Burton, M.G., Garden, R., Aspin, C., Hasegawa, T., Hayashi, M., Morimoto, M., Kaifu, N.), **225**, 393
IRAS observations of faint *Equatorial Infrared Catalogue* 1 sources (Iyengar, K.V.K., Rengarajan, T.N.), **225**, 731
The identification of *IRAS* 15194 - 5115 with a bright extreme carbon star (Meadows, P.J., Good, A.R., Wolstencroft, R.D.), **225**, 43P

Instruments and techniques

Atmospheric dispersion compensator for a wide-field three-mirror telescope (Willstrop, R.V.), **225**, 187

Intergalactic medium

Groups of galaxies in the CfA survey and in cold dark matter universes (Nolthenius, R., White, S.D.M.), **225**, 505
Gas heating by energetic particles in M87 and the Coma cluster (Rephaeli, Y.), **225**, 851
Lyman-alpha emission from the Lyman-alpha forest (Hogan, C.J., Weymann, R.J.), **225**, 1P

Interstellar grains

Extragalactic dust – II. Far-infrared properties of early-type galaxies with dust lanes (Brosch, N.), **225**, 257
Discovery of an extended infrared reflection nebula around S106 (McLean, I.S., McCaughrean, M.J., Gatley, I., Hough, J., Sato, S., Nagata, T., Axon, D., Burton, M.G., Garden, R., Aspin, C., Hasegawa, T., Hayashi, M., Morimoto, M., Kaifu, N.), **225**, 393
iRAS observations of faint *Equatorial Infrared Catalogue* 1 sources (Iyengar, K.V.K., Rengarajan, T.N.), **225**, 731
An extragalactic constraint on local galactic reddening (Sparks, W.B., Ellis, R.S., McMahon, R.G., Terlevich, R.J., Melnick, J.), **225**, 769

Interstellar medium

Variations in the spectral index of the galactic radio continuum emission in the northern hemisphere (Lawson, K.D., Mayer, C.J., Osborne, J.L., Parkinson, M.L.), **225**, 307
The neutral hydrogen sheets and supergiant shells of the Large Magellanic Cloud (Meaburn, J., Marston, A.P., McGee, R.X., Newton, L.M.), **225**, 591
The non-linear self-regulation of cosmic ray acceleration at shocks (Bell, A.R.), **225**, 615
An extragalactic constraint on local galactic reddening (Sparks, W.B., Ellis, R.S., McMahon, R.G., Terlevich, R.J., Melnick, J.), **225**, 769
Optical distortion of M86; star formation from cooling gas? (Nulsen, P.E.J., Carter, D.), **225**, 939

Magellanic Clouds

The neutral hydrogen sheets and supergiant shells of the Large Magellanic Cloud (Meaburn, J., Marston, A.P., McGee, R.X., Newton, L.M.), **225**, 591
CCD light curves for seven Cepheid variables in the LMC cluster NGC 1866 (Walker, A.R.), **225**, 627
The distance to the LMC from *uvby* ß photometry of B stars (Shobbrook, R.R., Visvanathan, N.), **225**, 947

Masers

VLA observations of 5-GHz excited OH lines towards Sgr B2 (Gardner, F.F., Whiteoak, J.B., Palmer, P.), **225**, 469

Narrow polarized components in the OH 1612-MHz maser emmission from supergiant OH–IR sources (Cohen, R.J., Downs, G., Emerson, R., Grimm, M., Gulkis, S., Stevens, G., Tarter, J.), **225**, 491

Meteors

The cometary breakup hypothesis re-examined: a reply (Clube, S.V.M., Napier, W.M.), **225**, 55P

Microwave background

A search for the Sunyaev–Zeldovich effect at millimetre wavelengths (Chase, S.T., Joseph, R.D., Robertson, N.A.,Ade, P.A.R.), **225**, 171

Molecules and molecular clouds

VLA observations of 5-GHz excited OH lines towards Sgr B2 (Gardner, F.F., Whiteoak, J.B., Palmer, P.), **225**, 469

$^{12}CO(J = 1–0)$ observations of six southern Bok globules (Casali, M.M., Edgar, M.L.), **225**, 481

Narrow polarized components in the OH 1612-MHz maser emmission from supergiant OH–IR sources (Cohen, R.J., Downs, G., Emerson, R., Grimm, M., Gulkis, S., Stevens, G., Tarter, J.), **225**, 491

Nebulae – gaseous

Radio observations of the filamentary nebula G2.4+1.4 (Green, D.A., Downes, A.J.B.), **225**, 221

Nebulae – reflection

Discovery of an extended infrared reflection nebula around S106 (McLean, I.S., McCaughrean, M.J., Gatley, I., Hough, J., Sato, S., Nagata, T., Axon, D., Burton, M.G., Garden, R., Aspin, C., Hasegawa, T., Hayashi, M., Morimoto, M., Kaifu, N.), **225**, 393

The Bruck 'bipolar': a nebulous star cluster (Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., Bruck, M.T., Wolstencroft, R.D.), **225**, 17P

Neutron stars

EXOSAT observations of the SNR PKS 1209-52 (Kellett, B.J., Branduardi-Raymont, G., Culhane, J.L., Mason, I.M., Mason, K.O., Whitehouse, D.R.), **225**, 199

Accretion disc coronae and the X-ray source in M15 (Fabian, A.C., Guilbert, P.W., Callanan, P.J.), **225**, 29P

A flywheel model for Cyg X-3. A case for a strict relation with Sco X-1 (Treves, A., Bocci, F.), **225**, 39P

Novae

Multiwavelength monitoring of the dwarf nova VW Hydri – I. Overview (Pringle, J.E., Bateson, F.M., Hassall, B.J.M., van der Woerd, J.H., van der Woerd, H., Holberg, J.B., Polidan, R.S., van Amerongen, S., van Paradijs, J., Verbunt, F.), **225**, 73

Multiwavelength monitoring of the dwarf nova VW Hydri – II. Walraven photometry (van Amerongen, S., Damen, E., Groot, M., KrAAkman, H., van Paradijs, J.), **225**, 93

Multiwavelength monitoring of the dwarf nova VW Hydri – III. *IUE* observations (Verbunt, F., Hassall, B.J.M., Pringle, J.E., Warner, B., Marang, F.), **225**, 113

Multiwavelength monitoring of the dwarf nova VW Hydri – IV. *Voyager* observations (Polidan, R.S., Holberg, J.B.), **225**, 131

Multiwavelength monitoring of the dwarf nova VW Hydri – V. *EXOSAT* observations (van der Woerd, H., Heise, J.), **225**, 141

A spectrophotometric study of the emission lines in the quiescent dwarf nova Z Chamaeleontis (Marsh, T.R., Horne, K., Shipman, H.L.), **225**, 551

Occultations

Corrections to the FK5 reference frame (Jordi, C., Rossello, G.), **225**, 723

Photometry – non-stellar

An extragalactic constraint on local galactic reddening (Sparks, W.B., Ellis, R.S., McMahon, R.G., Terlevich, R.J., Melnick, J.), **225**, 769

Physical processes

On the stability of compressible differentially rotating cylinders (Glatzel, W.), **225**, 227

Particle acceleration in extragalactic sources: the role of synchrotron losses in determining the spectrum (Heavens, A.F., Meisenheimer, K.), **225**, 335

Time-dependent cosmic ray modified shocks (Falle, S.A.E.G., Giddings, J.R.), **225**, 399

A viscosity prescription for a self-gravitating accretion disc (Lin, D.N.C., Pringle, J.E.), **225**, 607
The non-linear self-regulation of cosmic ray acceleration at shocks (Bell, A.R.), **225**, 615
Non-linear evolution of a non-axisymmetric disc instability (Hawley, H.F.), **225**, 677
The stability of accretion tori – II. Non-linear evolution to discrete planets (Goodman, J., Narayan, R., Goldreich, P.), **225**, 695
Steady stellar jets (Falle, S.A.E.G., Innes, D.E., Wilson, M.J.), **225**, 741
Gas heating by energetic particles in M87 and the Coma cluster (Rephaeli, Y.), **225**, 851

Polarization of starlight

Discovery of an extended infrared reflection nebula around S106 (McLean, I.S., McCaughrean, M.J., Gatley, I., Hough, J., Sato, S., Nagata, T., Axon, D., Burton, M.G., Garden, R., Aspin, C., Hasegawa, T., Hayashi, M., Morimoto, M., Kaifu, N.), **225**, 393
The Bruck 'bipolar': a nebulous star cluster (Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., Bruck, M.T., Wolstencroft, R.D.), **225**, 17P

Pulsars

The galactic radio sources G5.4 - 1.2 and G5.27 - 0.90 (Caswell, J.L., Kesteven, M.J., Komesaroff, M.M., Haynes, R.F., Milne, D.K., Stewart, R.T., Wilson, S.G.), **225**, 329
A pulse timing study of the X-ray pulsar 4U1145 - 619 (Cook, M.C., Warwick, R.S.), **225**, 369
The X-ray properties of 3A1907+09 (Cook, M.C., Page, C.G.), **225**, 381
The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A0535+26 and 4U1145 - 619 (Payne, B.J., Coe, M.J.), **225**, 985
Timing a millisecond pulsar in a globular cluster (Blandford, R.D., Romani, R.W., Applegate, J.H.), **225**, 51P

Quasars

Quasar discs – II. A composite model for the broad-line region (Netzer, H.), **225**, 55
Lyman-alpha emission from the Lyman-alpha forest (Hogan, C.J., Weymann, R.J.), **225**, 1P

Radio astronomy

Ageing and speeds in a representative sample of 21 classical double radio sources (Alexander, P., Leahy, J.P.), **225**, 1
A study of spectral ageing in the radio galaxy 3C 234 and its implications (Alexander, P.), **225**, 27
A search for the Sunyaev–Zeldovich effect at millimetre wavelengths (Chase, S.T., Joseph, R.D., Robertson, N.A.,Ade, P.A.R.), **225**, 171
Radio observations of the filamentary nebula G2.4+1.4 (Green, D.A., Downes, A.J.B.), **225**, 221
The local radio luminosity function of galaxies at 843 MHz (Subrahmanya, C.R., Hamett, J.I.), **225**, 297
Variations in the spectral index of the galactic radio continuum emission in the northern hemisphere (Lawson, K.D., Mayer, C.J., Osborne, J.L., Parkinson, M.L.), **225**, 307
The galactic radio sources G5.4 - 1.2 and G5.27 - 0.90 (Caswell, J.L., Kesteven, M.J., Komesaroff, M.M., Haynes, R.F., Milne, D.K., Stewart, R.T., Wilson, S.G.), **225**, 329
Particle acceleration in extragalactic sources: the role of synchrotron losses in determining the spectrum (Heavens, A.F., Meisenheimer, K.), **225**, 335
VLA observations of 5-GHz excited OH lines towards Sgr B2 (Gardner, F.F., Whiteoak, J.B., Palmer, P.), **225**, 469
$^{12}CO(J = 1–0)$ observations of six southern Bok globules (Casali, M.M., Edgar, M.L.), **225**, 481
The width of jets in powerful edge-brightened extragalactic double radio sources (Banhatti, D.G.), **225**, 487
Narrow polarized components in the OH 1612-MHz maser emmission from supergiant OH–IR sources (Cohen, R.J., Downs, G., Emerson, R., Grimm, M., Gulkis, S., Stevens, G., Tarter, J.), **225**, 491
Surface photometry of powerful radio galaxies - II. Relations with the radio, optical, and clustering properties (Lilly, S.J., Prestage, R.M.), **225**, 531
The neutral hydrogen sheets and supergiant shells of the Large Magellanic Cloud (Meaburn, J., Marston, A.P., McGee, R.X., Newton, L.M.), **225**, 591
A totally incomplete sample of extended 6C radio sources (Saunders, R., Baldwin, J.E., Warner, P.J.), **225**, 713
The identification and nature of the powerful radio galaxy PKS 1934 - 63 (Fosbury, R.A.E., Bird, M.C., Nicholson, W., Wall, J.V.), **225**, 761
Confirmation of 3C 58's increasing radio flux density (Green, D.A.),225, 11P

Solar System

The cometary breakup hypothesis re-examined: a reply (Clube, S.V.M., Napier, W.M.), **225**, 55P

Spectroscopy

New atomic data for the transition $1s^22s^22p^5\ ^2P^o_{1/2} = {}^2P^o_{3/2}$ in Fe XVIII (Mohan, M., Baluja, K.L., Hibbert, A., Berrington, K.A.), **225**, 377

The Si III 1892 Å/C III 1908 Å emission-line ratio in late-type stars (Keenan, F.P., Dufton, P.L., Kingston, A.E.), **225**, 859
New spectral line identifications in high-temperature flares (Fawcett, B.C., Jordan, C., Lemen, J.R., Phillips, K.J.H.), **225**, 1013

Stars

The stellar mass function at low luminosities (Reid, N.), **225**, 873

Stars – atmospheres of

On the importance of the decay-induced Lorentz force to the photospheric structure of hot magnetic stars (Landstreet, J.D.), **225**, 437
The Si III 1892 Å/C III 1908 Å emission-line ratio in late-type stars (Keenan, F.P., Dufton, P.L., Kingston, A.E.), **225**, 859
The chromospheres and coronae of five G–K main-sequence stars (Jordan, C., Ayres, T.R., Brown, A., Linsky, J.L., Simon, T.), **225**, 903

Stars – binary

Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse (O'Donoghue, D., Fairall, A.P., Warner, B.), **225**, 43
Detailed *EXOSAT* and optical observations of the intermediate polar 3A0729+103: discovery of two medium energy X-ray emission regions (McHardy, I.M., Pye, J.P., Fairall, A.P., Menzies, J.W.), **225**, 355
A pulse timing study of the X-ray pulsar 4U1145 - 619 (Cook, M.C., Warwick, R.S.), 225, 369
The X-ray properties of 3A1907+09 (Cook, M.C., Page, C.G.), **225**, 381
DR Vulpeculae: the quadruple system (Khaliullina, A.I.), **225**, 425
A spectrophotometric study of the emission lines in the quiescent dwarf nova Z Chamaeleontis (Marsh, T.R., Horne, K., Shipman, H.L.), **225**, 551
Twisted accretion discs - III. Application to Epsilon Aurigae (Kumar, S.), **225**, 823
A photometric and spectroscopic study of the early-type binary V1182 Aquilae (Bell, S.A., Hilditch, R.W., Adamson, A.J.), **225**, 961
The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A0535+26 and 4U1145 - 619 (Payne, B.J., Coe, M.J.), **225**, 985
The orbital period of the hydrogen-deficient binary CPD - 58° 2721 (Jeffery, C.S., Drilling, J.S., Hill, P.W.), **225**, 1005
The period of the globular cluster X-ray source X1820 - 303; confirmation from *Ariel V* data (Smale, A.P., Mason, K.O., Mukai, K.), **225**, 7P
Accretion disc coronae and the X-ray source in M15 (Fabian, A.C., Guilbert, P.W., Callanan, P.J.) **225**, 29P
A subdwarf's startling stellar wind (Howarth, I.D.), **225**, 33P
A flywheel model for Cyg X-3. A case for a strict relation with Sco X-1 (Treves, A., Bocci, F.), **225**, 39P

Stars – clusters of

Discovery of a star cluster in the galactic halo (Sommer-Larsen, J., Christensen, P.R.), **225**, 499
CCD light curves for seven Cepheid variables in the LMC cluster NGC 1866 (Walker, A.R.), **225**, 627
An H-theorem for violent relaxation? (Kandrup, H.E.), **225**, 995
uvby ß photometry of southern clusters - VIII. Further data for NGC 3766 (Shobbrook, R.R.), **225**, 999
The period of the globular cluster X-ray source X1820 - 303; confirmation from *Ariel V* data (Smale, A.P., Mason, K.O., Mukai, K.), **225**, 7P
The Bruck 'bipolar': a nebulous star cluster (Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., Bruck, M.T., Wolstencroft, R.D.), **225**, 17P
Timing a millisecond pulsar in a globular cluster (Blandford, R.D., Romani, R.W., Applegate, J.H.), **225**, 51P

Stars – formation of

Extragalactic dust – II. Far-infrared properties of early-type galaxies with dust lanes (Brosch, N.), **225**, 257
The statistical clustering of pregalactic objects and resultant astrophysical consequences in cosmologies with Cold Dark Matter (Couchman, H.M.P.), **225**, 795
Optical distortion of M86; star formation from cooling gas? (Nulsen, P.E.J., Carter, D.), **225**, 939

Stars – magnetic fields in

On the importance of the decay-induced Lorentz force to the photospheric structure of hot magnetic stars (Landstreet, J.D.), **225**, 437

Stars – mass loss from

Radio observations of the filamentary nebula G2.4+1.4 (Green, D.A., Downes, A.J.B.), **225**, 221
Narrow polarized components in the OH 1612-MHz maser emmission from supergiant OH–IR sources (Cohen, R.J., Downs, G., Emerson, R., Grimm, M., Gulkis, S., Stevens, G., Tarter, J.), **225**, 491

The neutral hydrogen sheets and supergiant shells of the Large Magellanic Cloud (Meaburn, J., Marston, A.P., McGee, R.X., Newton, L.M.), **225**, 591
Steady stellar jets (Falle, S.A.E.G., Innes, D.E., Wilson, M.J.), **225**, 741
The dynamics of Herbig–Haro objects HH46 and 47A and their remarkable connecting filament HH47B (Meaburn, J., Dyson, J.E.), **225**, 863
A subdwarf's startling stellar wind (Howarth, I.D.), **225**, 33P

Stars -- photometry

Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse (O'Donoghue, D., Fairall, A.P., Warner, B.), **225**, 43
Multiwavelength monitoring of the dwarf nova VW Hydri – I. Overview (Pringle, J.E., Bateson, F.M., Hassall, B.J.M., van der Woerd, J.H., van der Woerd, H., Holberg, J.B., Polidan, R.S., van Amerongen, S., van Paradijs, J., Verbunt, F.), **225**, 73
Multiwavelength monitoring of the dwarf nova VW Hydri – II. Walraven photometry (van Amerongen, S., Damen, E., Groot, M., KrAAkman, H., van Paradijs, J.), **225**, 93
Multiwavelength monitoring of the dwarf nova VW Hydri – III. *IUE* observations (Verbunt, F., Hassall, B.J.M., Pringle, J.E., Warner, B., Marang, F.), **225**, 113
Multiwavelength monitoring of the dwarf nova VW Hydri – IV. *Voyager* observations (Polidan, R.S., Holberg, J.B.), **225**, 131
Multiwavelength monitoring of the dwarf nova VW Hydri – V. *EXOSAT* observations (van der Woerd, H., Heise, J.), **225**, 141
The radii and masses of dwarf Cepheids (Fernley, J.A., Jameson, R.F., Sherrington, M.R., Skillen, I.), **225**, 451
CCD light curves for seven Cepheid variables in the LMC cluster NGC 1866 (Walker, A.R.), 225, 627
IRAS observations of faint *Equatorial Infrared Catalogue* 1 sources (Iyengar, K.V.K., Rengarajan, T.N.), **225**, 731
The stellar mass function at low luminosities (Reid, N.), **225**, 873
The distance to the LMC from *uvby* ß photometry of b stars (Shobbrook, R.R., Visvanathan, N.), **225**, 947
A photometric and spectroscopic study of the early-type binary V1182 Aquilae (Bell, S.A., Hilditch, R.W., Adamson, A.J.), **225**, 961
uvby ß photometry of southern clusters - VIII. Further data for NGC 3766 (Shobbrook, R.R.), **225**, 999
The identification of *IRAS* 15194 - 5115 with a bright extreme carbon star (Meadows, P.J., Good, A.R., Wolstencroft, R.D.), **225**, 43P

Stars – rotation of

Non-adiabatic analysis of low-frequency oscillations of uniformly rotating stars (Lee, U., Saio, H.), **225**, 643

Stars – spectroscopy of

Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse (O'Donoghue, D., Fairall, A.P., Warner, B.), **225**, 43
Detailed *EXOSAT* and optical observations of the intermediate polar 3A0729+103: discovery of two medium energy X-ray emission regions (McHardy, I.M., Pye, J.P., Fairall, A.P., Menzies, J.W.), **225**, 355
Discovery of a star cluster in the galactic halo (Sommer-Larsen, J., Christensen, P.R.), **225**, 499
A spectrophotometric study of the emission lines in the quiescent dwarf nova Z Chamaeleontis (Marsh, T.R., Horne, K., Shipman, H.L.), **225**, 551
The Si III 1892 Å/C III 1908 Å emission-line ratio in late-type stars (Keenan, F.P., Dufton, P.L., Kingston, A.E.), **225**, 859
A photometric and spectroscopic study of the early-type binary V1182 Aquilae (Bell, S.A., Hilditch, R.W., Adamson, A.J.), **225**, 961
A subdwarf's startling stellar wind (Howarth, I.D.), **225**, 33P
The identification of *IRAS* 15194 - 5115 with a bright extreme carbon star (Meadows, P.J., Good, A.R., Wolstencroft, R.D.), **225**, 43P

Stars – structure and evolution of

The radii and masses of dwarf Cepheids (Fernley, J.A., Jameson, R.F., Sherrington, M.R., Skillen, I.), **225**, 451

Stars – variable

Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse (O'Donoghue, D., Fairall, A.P., Warner, B.), **225**, 43
Detailed *EXOSAT* and optical observations of the intermediate polar 3A0729+103: discovery of two medium energy X-ray emission regions (McHardy, I.M., Pye, J.P., Fairall, A.P., Menzies, J.W.), **225**, 355
The radii and masses of dwarf Cepheids (Fernley, J.A., Jameson, R.F., Sherrington, M.R., Skillen, I.), **225**, 451
CCD light curves for seven Cepheid variables in the LMC cluster NGC 1866 (Walker, A.R.), **225**, 627
Non-adiabatic analysis of low-frequency oscillations of uniformly rotating stars (Lee, U., Saio, H.), **225**, 643

The period of the globular cluster X-ray source X1820 - 303; confirmation from *Ariel V* data (Smale, A.P., Mason, K.O., Mukai, K.), **225**, 7P

Stars – velocities of

The orbital period of the hydrogen-deficient binary CPD - 58° 2721 (Jeffery, C.S., Drilling, J.S., Hill, P.W.), **225**, 1005

Sun

New spectral line identifications in high-temperature flares (Fawcett, B.C., Jordan, C., Lemen, J.R., Phillips, K.J.H.), **225**, 1013

Supernovae and supernova remnants

EXOSAT observations of the SNR PKS 1209-52 (Kellett, B.J., Branduardi-Raymont, G., Culhane, J.L., Mason, I.M., Mason, K.O., Whitehouse, D.R.), **225**, 199
Radio observations of the filamentary nebula G2.4+1.4 (Green, D.A., Downes, A.J.B.), **225**, 221
The galactic radio sources G5.4 - 1.2 and G5.27 - 0.90 (Caswell, J.L., Kesteven, M.J., Komesaroff, M.M., Haynes, R.F., Milne, D.K., Stewart, R.T., Wilson, S.G.), **225**, 329
Confirmation of 3C 58's increasing radio flux density (Green, D.A.), **225**, 11P

Ultraviolet astronomy

Multiwavelength monitoring of the dwarf nova VW Hydri – III. *IUE* observations (Verbunt, F., Hassall, B.J.M., Pringle, J.E., Warner, B., Marang, F.), **225**, 113
Multiwavelength monitoring of the dwarf nova VW Hydri – IV. *Voyager* observations (Polidan, R.S., Holberg, J.B.), **225**, 131
The Si III 1892 Å/C III 1908 Å emission-line ratio in late-type stars (Keenan, F.P., Dufton, P.L., Kingston, A.E.), **225**, 859
The chromospheres and coronae of five G–K main-sequence stars (Jordan, C., Ayres, T.R., Brown, A., Linsky, J.L., Simon, T.), **225**, 903
The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A0535+26 and 4U1145 - 619 (Payne, B.J., Coe, M.J.), **225**, 985
A subdwarf's startling stellar wind (Howarth, I.D.), **225**, 33P

X-ray astronomy

Multiwavelength monitoring of the dwarf nova VW Hydri – V. *EXOSAT* observations (van der Woerd, H., Heise, J.), **225**, 141
EXOSAT observations of the SNR PKS 1209-52 (Kellett, B.J., Branduardi-Raymont, G., Culhane, J.L., Mason, I.M., Mason, K.O., Whitehouse, D.R.), **225**, 199
Detailed *EXOSAT* and optical observations of the intermediate polar 3A0729+103: discovery of two medium energy X-ray emission regions (McHardy, I.M., Pye, J.P., Fairall, A.P., Menzies, J.W.), **225**, 355
A pulse timing study of the X-ray pulsar 4U1145 - 619 (Cook, M.C., Warwick, R.S.), **225**, 369
The X-ray properties of 3A1907+09 (Cook, M.C., Page, C.G.), **225**, 381
The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A0535+26 and 4U1145 - 619 (Payne, B.J., Coe, M.J.), **225**, 985
New spectral line identifications in high-temperature flares (Fawcett, B.C., Jordan, C., Lemen, J.R., Phillips, K.J.H.), **225**, 1013
The period of the globular cluster X-ray source X1820 - 303; confirmation from *Ariel V* data (Smale, A.P., Mason, K.O., Mukai, K.), **225**, 7P
Accretion disc coronae and the X-ray source in M15 (Fabian, A.C., Guilbert, P.W., Callanan, P.J.), **225**, 29P
A flywheel model for Cyg X-3. A case for a strict relation with Sco X-1 (Treves, A., Bocci, F.), **225**, 39P